

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

1
Ag84Pri
Reserve

to sten.

1
Ag84Pri
Reserve

UNITED STATES DEPARTMENT OF AGRICULTURE

PRICES RECEIVED BY FARMERS

FOR

CROPS, LIVESTOCK, AND LIVESTOCK PRODUCTS FOR 1941 AND EARLIER YEARS

(Reprinted from CROPS AND MARKETS, as Revised)



UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1942

Average Prices Received by Farmers, United States, 1930-41

Wheat: Per Bushel

Year beginning July—	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weighted average ¹
	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.
1930	70.6	74.0	70.3	65.6	60.0	61.3	59.1	58.7	58.3	59.2	59.9	51.9	67.1
1931	36.3	35.4	35.7	36.1	50.5	44.1	44.1	44.0	44.2	43.1	42.4	37.3	39.0
1932	35.6	38.5	37.4	34.6	32.8	31.6	32.9	32.3	34.5	44.8	59.0	58.7	38.2
1933	86.9	74.7	71.1	63.6	71.1	67.3	69.4	72.0	70.9	68.7	69.5	78.9	74.4
1934	78.8	89.6	92.2	88.5	88.1	90.0	89.3	87.9	85.5	90.2	87.7	77.3	84.8
1935	76.4	80.8	85.1	94.8	87.5	88.9	92.0	91.1	89.3	85.4	81.6	79.9	83.2
1936	94.1	104.8	104.3	106.8	106.4	114.5	123.6	124.9	123.2	126.6	118.3	108.9	102.6
1937	112.8	99.4	93.0	88.7	81.9	83.6	88.6	86.6	80.3	75.0	71.4	69.7	96.3
1938	60.8	50.7	52.5	52.2	52.0	53.6	57.1	56.9	56.7	57.8	63.0	62.5	56.1
1939	55.7	54.5	52.7	70.3	73.1	82.4	84.5	84.1	85.0	88.9	80.7	67.4	69.2
1940	61.4	60.1	62.6	68.2	72.5	71.5	73.0	67.8	71.8	76.0	79.4	83.1	69.2
1941	85.6	88.5	95.8	91.0	93.4	-----	-----	-----	-----	-----	-----	-----	95.6

Oats: Per Bushel

Year beginning July—	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weighted average ¹
	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.
1930	33.1	35.7	36.1	34.7	31.5	32.3	31.1	30.7	30.1	30.2	28.6	26.1	32.2
1931	23.3	19.8	20.0	20.1	23.2	23.0	22.7	22.8	22.8	22.8	21.8	19.8	21.3
1932	17.5	14.8	14.4	13.1	13.1	13.0	13.4	13.3	13.7	17.0	21.7	23.1	15.7
1933	39.1	32.2	32.3	27.9	31.4	31.4	32.5	34.1	33.9	32.6	32.7	38.9	33.5
1934	40.6	45.8	50.3	50.5	51.1	53.9	54.6	54.7	54.1	53.5	49.8	41.9	48.0
1935	32.2	26.9	25.8	27.0	25.8	25.5	25.9	26.6	26.7	25.4	25.1	24.3	26.3
1936	35.2	43.0	43.5	43.1	44.2	48.4	52.7	53.7	52.5	54.6	53.5	48.1	44.9
1937	42.5	28.5	29.0	28.8	28.7	29.1	30.0	30.0	29.4	28.3	27.5	25.3	30.1
1938	24.0	20.3	21.8	22.1	22.5	24.4	26.3	26.2	26.9	27.4	29.5	29.9	23.7
1939	26.5	25.4	31.5	30.3	32.1	34.7	36.3	37.7	38.6	38.8	36.6	32.7	31.1
1940	28.3	26.7	27.0	28.3	31.7	32.0	33.3	32.9	33.7	35.2	34.0	33.3	30.3
1941	32.7	32.5	39.9	38.9	41.1	-----	-----	-----	-----	-----	-----	-----	38.7

Barley: Per Bushel

Year beginning July—	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weighted average ¹
	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.
1930	40.0	43.6	45.3	41.9	38.3	38.8	36.6	35.3	34.4	35.2	35.5	32.6	40.5
1931	30.0	28.9	30.9	31.6	35.7	35.7	35.8	37.2	37.1	33.7	28.7	32.8	32.8
1932	24.6	21.1	20.1	18.2	20.1	19.3	18.4	17.9	18.3	23.4	29.9	28.3	22.1
1933	46.6	40.2	42.8	40.7	41.6	40.6	43.7	44.7	43.7	42.5	42.2	50.9	43.5
1934	52.6	63.5	78.2	75.5	75.9	79.7	80.2	79.2	76.0	74.4	66.0	55.0	68.6
1935	41.2	35.1	37.3	39.4	37.8	37.5	38.6	39.7	38.6	37.1	37.0	37.8	37.8
1936	56.1	81.3	82.6	84.2	82.7	86.1	90.4	93.4	89.9	90.0	86.1	71.4	78.4
1937	64.4	52.2	52.8	50.2	50.7	50.8	54.0	54.8	52.9	50.4	49.0	42.9	54.0
1938	39.8	34.5	35.2	36.1	34.7	36.5	38.0	37.6	38.0	37.9	39.2	39.4	36.6
1939	35.5	34.5	42.8	42.2	42.2	43.8	45.9	46.1	46.1	46.2	45.3	40.8	40.3
1940	36.3	36.4	37.2	38.2	40.6	41.6	42.5	42.3	42.2	44.9	46.2	46.5	39.7
1941	45.2	42.6	51.9	49.1	53.2	-----	-----	-----	-----	-----	-----	-----	49.4

Rye: Per Bushel

Year beginning July—	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weighted average ¹
	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.
1930	43.6	53.0	53.1	47.6	41.6	41.1	37.4	34.9	34.3	32.8	33.0	31.4	44.5
1931	33.0	32.5	33.2	33.6	41.4	36.8	36.8	36.3	37.7	36.6	33.4	28.8	34.1
1932	22.0	23.3	23.6	22.3	22.1	21.2	22.7	21.9	22.8	30.1	38.9	43.5	28.1
1933	78.2	58.8	61.6	62.7	55.4	51.9	53.6	54.2	53.1	52.8	51.9	58.2	62.7
1934	61.8	73.9	79.1	75.0	71.9	74.4	73.1	69.3	66.5	66.0	62.0	53.7	71.8
1935	36.0	35.5	36.5	42.1	40.4	40.0	41.4	44.4	42.9	40.8	40.4	33.8	39.5
1936	61.1	75.1	79.9	80.4	81.5	90.0	97.9	98.9	95.8	99.9	96.0	85.3	80.9
1937	81.0	70.6	68.1	63.8	60.8	59.2	64.1	63.4	58.7	52.2	49.8	46.0	68.6
1938	41.1	32.4	32.0	32.9	32.1	32.3	34.7	33.9	32.9	33.0	36.4	39.1	33.8
1939	34.3	34.2	44.0	45.1	44.6	52.3	56.7	55.7	55.6	57.1	52.4	40.3	44.0
1940	38.3	36.8	38.3	40.5	42.8	41.3	43.6	41.2	43.1	46.5	48.1	47.1	41.6
1941	46.4	49.4	57.3	51.3	54.2	-----	-----	-----	-----	-----	-----	-----	53.1

Flaxseed: Per Bushel

Year beginning July—	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weighted average ¹
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1930	1.93	1.92	1.68	1.52	1.34	1.38	1.32	1.26	1.30	1.29	1.30	1.20	1.61
1931	1.33	1.20	1.13	1.06	1.22	1.19	1.16	1.19	1.16	1.19	1.16	1.07	1.17
1932	81	79	88	88	87	83	91	87	88	95	1.19	1.36	88
1933	1.89	1.63	1.64	1.49	1.55	1.51	1.61	1.65	1.60	1.55	1.64	1.68	1.63
1934	1.68	1.77	1.75	1.67	1.62	1.69	1.68	1.67	1.59	1.61	1.56	1.49	1.70
1935	1.34	1.34	1.35	1.52	1.53	1.56	1.61	1.60	1.54	1.48	1.47	1.47	1.42
1936	1.84	1.92	1.87	1.86	1.90	1.95	2.09	2.03	1.98	1.98	1.92	1.73	1.90
1937	1.86	1.83	1.89	1.89	1.81	1.81	1.81	1.91	1.86	1.80	1.74	1.62	1.87
1938	1.61	1.55	1.59	1.63	1.60	1.64	1.71	1.63	1.64	1.64	1.60	1.61	1.59
1939	1.39	1.35	1.53	1.63	1.64	1.80	1.94	1.88	1.91	1.91	1.76	1.56	1.46
1940	1.44	1.36	1.31	1.27	1.40	1.41	1.54	1.52	1.53	1.73	1.68	1.64	1.42
1941	1.71	1.62	1.85	1.64	1.60	-----	-----	-----	-----	-----	-----	-----	1.72

Alfalfa Seed: Per Bushel

Year beginning July—	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weighted average ¹
	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.
1930	12.10	11.91	11.36	10.68	10.18	9.86	9.97	10.20	9.91	9.89	9.70	9.64	10.78
1931	9.98	9.69	8.35	6.94	6.58	6.97	6.36	6.58	6.70	6.79	6.58	6.47	7.30
1932	6.53	5.98	5.59	5.25	5.19	5.42	5.68	5.89	5.93	6.32	6.64	6.82	5.52
1933	7.10	7.05	6.31	5.52	5.12	5.10	5.32	5.90	6.27	6.14	6.19	6.70	6.07
1934	6.77	9.02	9.35	10.46	10.70	10.45	10.83	11.25	11.53	11.12	11.28	10.51	9.96
1935	8.49	9.09	8.73	7.80	7.50	7.28	7.37	7.38	7.85	8.03	8.34	8.32	7.89
1936	8.52	9.63	10.85	11.34	11.44	12.14	12.37	13.01	14.14	14.60	14.85	14.48	11.89
1937	14.17	13.52	13.77	14.88	14.55	13.68	13.67	13.53	15.47	15.88	15.65	15.28	13.70
1938	14.35	11.88	10.13	9.92	10.47	10.71	11.15	11.17	11.52	12.25	12.29	11.89	10.56
1939	11.63	10.16	10.53	10.16	10.12	10.17	10.29	10.54	11.04	11.18	11.23	10.75	10.48
1940	10.41	10.13	9.13	8.49	8.59	8.38	8.20	8.37	8.51	8.87	9.02	9.27	8.75
1941	9.22	9.44	10.26	11.51	13.37	-----	-----	-----	-----	-----	-----	-----	11.97

¹ Crop year average prices by States weighted by production to obtain weighted averages for the United States.

² Includes unredeemed loans at estimated average loan value.

³ Preliminary.

All Hay, Loose: Per Ton

Year beginning July—	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weighted average ¹
	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>	<i>Dol.</i>
1930	10.47	11.31	12.14	12.17	12.19	11.33	11.21	11.92	10.66	10.59	10.54	9.97	11.06
1931	9.30	9.05	8.88	8.57	8.68	8.71	8.60	8.45	8.69	8.74	8.48	7.60	8.69
1932	6.95	6.82	6.80	6.54	6.49	6.14	6.03	5.91	5.89	6.12	6.37	6.43	6.22
1933	6.99	7.53	7.53	7.54	7.69	7.69	7.78	8.07	8.34	8.59	8.94	9.75	8.12
1934	10.18	12.50	13.03	13.40	13.58	13.86	14.02	14.02	13.79	13.67	13.38	12.07	13.28
1935	8.88	7.90	7.43	7.26	7.25	7.20	7.30	7.57	7.45	7.35	7.26	7.31	7.51
1936	8.66	10.77	10.87	10.77	10.73	11.08	11.51	11.84	11.98	12.24	12.11	11.93	11.04
1937	9.48	8.97	8.91	8.77	8.74	8.79	8.79	8.71	8.58	8.54	8.17	7.91	8.48
1938	7.11	6.82	6.70	6.72	6.82	6.81	6.79	6.78	6.67	6.67	6.68	6.63	6.62
1939	6.76	7.71	7.71	7.71	7.71	7.71	7.90	8.10	8.22	8.22	8.22	7.98	7.82
1940	7.10	7.10	7.08	6.99	7.25	7.53	7.78	7.88	7.93	8.10	7.98	7.82	7.82
1941	7.66	7.64	7.94	8.34	8.71								² 90.1

Average Prices Received by Farmers, United States, 1930-41—Continued

Cottonseed: Per Ton

Year beginning July—	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weighted average ¹
1930	Dol. 27.00	Dol. 23.26	Dol. 23.86	Dol. 20.40	Dol. 21.22	Dol. 21.12	Dol. 20.97	Dol. 21.61	Dol. 22.69	Dol. 22.30	Dol. 21.73	Dol. 20.02	Dol. 22.65
1931	18.20	13.53	8.77	7.38	11.01	10.57	9.98	9.66	9.55	9.33	9.65	8.83	8.96
1932	7.80	8.65	11.43	10.38	9.33	8.70	8.55	8.53	8.78	9.57	11.34	12.18	10.32
1933	15.00	14.83	12.24	12.42	13.23	14.46	14.69	16.79	18.17	19.09	19.55	19.26	12.89
1934	22.50	26.76	31.91	35.04	36.58	39.34	38.56	38.19	37.07	36.68	36.27	34.92	33.09
1935	33.00	28.41	27.87	32.14	33.32	32.02	29.75	29.20	29.15	29.39	28.72	27.31	30.54
1936	28.00	31.87	33.77	33.36	33.13	34.79	36.57	37.19	37.33	37.82	37.42	35.62	33.41
1937	33.00	24.42	19.21	18.38	19.01	18.50	18.58	19.20	20.24	20.55	21.63	21.29	19.51
1938	21.00	21.36	21.17	22.42	23.08	23.04	23.09	22.58	22.98	22.95	22.87	22.72	21.80
1939	20.70	16.24	20.56	22.88	23.75	24.75	26.00	26.64	26.84	27.18	26.69	25.54	21.20
1940	22.60	21.46	20.32	21.55	23.12	24.08	24.46	24.61	24.81	25.88	27.67	29.58	21.73
1941	35.90	36.98	49.83	50.89	45.28								² 48.04

Cotton: Per Pound

Year beginning August—	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Weighted average ¹
1930	Ct. 11.25	Ct. 9.86	Ct. 9.16	Ct. 9.63	Ct. 8.73	Ct. 8.76	Ct. 9.32	Ct. 9.56	Ct. 9.35	Ct. 8.92	Ct. 7.69	Ct. 8.45	Ct. 9.46
1931	6.07	5.89	5.21	6.02	5.49	5.68	5.91	6.26	5.83	5.26	4.62	5.07	5.66
1932	6.51	7.13	6.32	5.90	5.38	5.65	5.57	6.15	6.27	8.30	8.90	10.68	6.52
1933	8.80	8.81	8.99	9.59	9.66	10.36	11.85	11.84	11.65	11.06	11.65	12.29	10.17
1934	13.02	13.13	12.56	12.38	12.45	12.55	12.37	11.50	11.66	12.03	11.75	11.89	² 12.36
1935	11.44	10.55	10.88	11.51	11.37	11.10	11.02	11.14	11.19	11.27	11.38	12.62	11.69
1936	12.29	12.55	12.23	12.01	12.37	12.45	12.58	13.69	13.72	12.93	12.47	12.39	12.33
1937	10.51	8.96	8.10	7.82	7.67	7.79	8.01	8.41	8.24	8.41	8.12	8.66	³ 8.41
1938	8.12	8.23	8.53	8.52	8.20	8.29	8.23	8.31	8.15	8.48	8.67	8.77	³ 8.60
1939	8.70	9.13	8.73	8.80	9.71	10.09	9.97	9.96	10.03	9.79	9.54	9.54	9.09
1940	9.23	9.23	9.35	9.38	9.33	9.45	9.44	9.72	10.45	11.68	12.81	14.32	³ 9.89
1941	15.33	17.53	16.55	15.78									² 16.10

Timothy Seed: Per Bushel

Year beginning August—	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Weighted average ¹
1930	Dol. 2.51	Dol. 2.62	Dol. 3.06	Dol. 3.11	Dol. 3.09	Dol. 3.29	Dol. 3.32	Dol. 3.58	Dol. 3.61	Dol. 3.43	Dol. 3.16	Dol. 2.33	Dol. 2.50
1931	1.38	1.43	1.44	1.46	1.54	1.53	1.62	1.70	1.59	1.61	1.39	1.20	1.38
1932	.91	.93	.88	.92	.95	.98	.99	1.01	1.02	1.10	1.10	1.38	.94
1933	1.65	1.53	2.13	2.20	2.18	2.13	2.59	2.94	2.96	2.75	3.25	3.29	1.93
1934	4.65	7.54	7.51	7.37	7.68	7.86	8.26	8.38	8.71	8.48	7.57	2.84	6.54
1935	1.32	1.13	1.13	1.19	1.20	1.27	1.28	1.27	1.28	1.27	1.28	1.90	1.69
1936	2.62	2.66	2.56	2.52	2.59	2.67	2.80	2.68	2.63	2.44	2.25	1.68	2.57
1937	1.14	1.09	1.22	1.17	1.19	1.40	1.40	1.49	1.43	1.40	1.26	1.25	1.20
1938	1.22	1.18	1.19	1.19	1.19	1.24	1.33	1.33	1.41	1.43	1.36	1.41	1.23
1939	1.58	1.64	1.59	1.62	1.66	1.81	1.96	2.08	2.11	2.04	1.87	1.66	1.66
1940	1.41	1.39	1.49	1.54	1.57	1.62	1.62	1.71	1.83	1.82	1.76	1.71	1.49
1941	1.70	1.92	2.22	2.42									² 1.98

Rice (Rough): Per Bushel, Louisiana⁴

Year beginning August—	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Weighted average ¹
1930	Ct. 88	Ct. 79	Ct. 77	Ct. 76	Ct. 73	Ct. 75	Ct. 78	Ct. 76	Ct. 77	Ct. 74	Ct. 74	Ct. 73	Ct. 77
1931	56	47	47	60	59	56	53	52	49	49	48	46	52
1932	47	47	42	41	41	38	36	40	47	56	60	61	43
1933	65	75	78	80	75	78	79	80	81	78	77	75	78
1934	79	78	83	85	78	77	82	85	86	87	70	88	82
1935	74	55	65	70	74	83	85	88	84	89	89	90	71
1936	91	99	87	84	82	92	97	98	100	95	89	85	90
1937	76	65	80	83	68	72	66	63	57	58	63	64	69
1938	64	60	65	69	65	66	69	65	64	64	64	63	65
1939	58	89	76	78	74	75	69	65	65	75	75	79	74
1940	79	68	70	79	83	96	104	105	122	124	121	117	85
1941	106	87	96	128									² 1.25

Cowpeas: Per Bushel

Year beginning September—	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Weighted average ¹
1930	Dol. 2.41	Dol. 2.20	Dol. 2.05	Dol. 1.86	Dol. 1.80	Dol. 1.75	Dol. 1.82	Dol. 1.87	Dol. 1.93	Dol. 1.96	Dol. 1.89	Dol. 1.63	Dol. 1.95
1931	1.27	.98	.93	.93	.92	.88	.88	.82	.76	.72	.67	.70	.83
1932	.67	.70	.63	.60	.60	.60	.62	.69	.89	1.02	1.21	1.30	.75
1933	1.06	.94	.87	.92	1.03	1.26	1.45	1.61	1.63	1.60	1.57	1.42	1.34
1934	1.32	1.26	1.25	1.30	1.37	1.47	1.53	1.54	1.57	1.63	1.60	1.42	1.46
1935	1.25	1.13	1.15	1.15	1.22	1.29	1.35	1.54	1.80	1.96	2.07	1.88	1.50
1936	1.52	1.37	1.33	1.38	1.51	1.69	1.83	1.96	1.98	1.97	1.83	1.55	1.74
1937	1.37	1.18	1.13	1.18	1.29	1.34	1.43	1.51	1.59	1.69	1.68	1.48	1.43
1938	1.27	1.18	1.17	1.24	1.30	1.37	1.43	1.49	1.57	1.59	1.52	1.35	1.41
1939	1.28	1.18	1.18	1.22	1.28	1.35	1.41	1.47	1.52	1.51	1.47	1.31	1.40
1940	1.18	1.14	1.12	1.18	1.25	1.32	1.40	1.49	1.59	1.66	1.69	1.53	1.46
1941	1.41	1.37	1.36										² 1.58

Buckwheat: Per Bushel

Year beginning September—	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Weighted average ¹
1930	Ct. 97.1	Ct. 90.5	Ct. 84.4	Ct. 79.7	Ct. 78.9	Ct. 76.3	Ct. 77.0	Ct. 74.9	Ct. 72.9	Ct. 72.3	Ct. 69.8	Ct. 59.2	Ct. 78.9
1931	52.2	40.2	41.2	41.9	42.1	40.9	41.7	41.4	40.9	42.3	44.2	44.3	42.3
1932	43.0	40.3	39.0	38.3	39.2	39.1	39.5	42.7	48.4	53.6	66.3	67.3	43.4
1933	68.4	56.7	52.5	51.3	52.1	52.8	54.3	55.5	55.5	60.8	64.7	67.0	55.8
1934	68.8	60.4	55.5	56.1	57.7	59.7	59.6	59.7	60.7	62.5	62.1	59.6	58.6
1935	57.2	53.1	52.1	51.6	51.7	53.9	53.9	55.0	55.6	57.2	66.4	78.7	55.0
1936	81.9	78.3	76.8	79.7	86.4	90.7	92.1	94.3	97.2	100.3	100.8	93.5	85.2
1937	76.8	62.4	63.9	64.3	66.5	67.9	70.1	69.8	72.1	72.2	73.9	65.6	66.9
1938	59.4	54.5	53.4	52.9	53.7	54.5	54.9	54.4	55.0	55.9	56.4	54.8	54.4
1939	59.7	62.7	62.4	61.7	63.0	61.7	64.2	65.7	66.7	67.2	68.7	64.6	62.8
1940	61.4	54.4	53.2	54.2	54.7	54.7	55.0	56.7	58.4	59.1	62.8	63.6	53.8
1941	65.7	64.3	63.9										² 64.8

Peanuts: Per Pound

Year beginning August—	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Weighted average ¹
1930	3.9	4.2	3.8	3.2	3.2	3.6	3.7	3.9	4.1	3.9	3.8	3.6	3.58
1931	3.1	2.3	2.2	2.0	2.0	1.9	2.0	1.9	1.7	1.6	1.4	1.7	2.02
1932	2.0	1.6	1.6	1.2	1.3	1.3	1.5	1.5	2.1	2.3	2.5	2.6	1.54
1933	2.5	2.5	2.7	2.6	2.9	3.1	3.2	3.4	3.4	3.3	3.2	3.3	2.84
1934	3.3	3.2	3.1	3.3	3.5	4.1	4.4	4.4	4.4	4.1	3.9	3.4	3.32
1935	3.4	3.3	3.1	3.0	3.0	3.1	3.0	3.1	3.3	3.3	3.7	3.8	3.14
1936	3.7	3.5	3.3	3.6	4.1	4.1	4.2	4.5	4.4	4.2	4.0	3.7	3.74
1937	3.4	3.2	3.2	3.2	3.3	3.4	3.5	3.5	3.4	3.5	3.5	3.4	3.31
1938	3.2	3.2	3.3	3.3	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.28
1939	3.4	3.4	3.4	3.4	3.6	3.6	3.6	3.6	3.7	3.5	3.4	3.4	3.42
1940	3.4	3.3	3.2	3.2	3.3	3.4	3.5	3.6	3.6	4.0	4.2	4.3	3.33

Average Prices Received by Farmers, United States, 1929-41—Continued

Corn: Per Bushel

Year beginning October—	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Weighted average ¹
1929	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.	Ct.
1929	91.9	81.0	78.0	77.3	77.4	74.5	78.3	77.8	79.0	77.1	90.0	91.7	79.9
1930	81.9	66.3	64.9	61.7	58.6	57.5	57.7	56.3	53.8	54.0	50.8	43.2	59.6
1931	33.4	36.6	34.5	33.7	32.4	32.2	31.4	30.1	29.4	29.9	30.2	28.0	32.0
1932	21.6	19.4	18.8	19.1	19.4	20.6	28.2	38.9	40.2	35.4	48.8	46.5	31.9
1933	38.8	40.6	42.0	43.9	45.6	47.1	47.1	48.6	56.0	59.2	72.7	77.4	52.2
1934	76.7	75.7	85.3	85.3	84.5	82.7	85.2	84.8	83.3	82.4	80.8	78.0	81.5
1935	71.8	56.4	53.0	53.5	55.5	56.4	57.2	60.0	61.3	80.2	103.7	104.7	65.5
1936	97.9	94.6	95.6	100.6	103.6	105.4	119.1	121.2	117.2	118.1	102.6	93.9	104.4
1937	58.9	48.0	48.5	52.2	51.7	51.3	52.7	52.7	52.3	53.7	48.5	48.0	51.8
1938	41.9	40.0	43.1	45.1	43.9	44.4	45.4	48.3	49.9	47.8	45.7	56.2	50.0
1939	47.6	46.8	50.3	53.2	54.7	56.0	58.6	63.4	63.5	63.1	61.9	61.8	56.7
1940	59.4	56.8	54.5	56.0	56.0	57.1	62.0	65.9	68.3	69.6	70.0	70.8	61.4
1941	64.9	63.7											70.9

Apples: Per Bushel

Year beginning July—	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	Weighted average ¹
1928	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1928	1.56	1.06	0.97	0.99	1.08	1.19	1.24	1.30	1.34	1.32	1.44	1.53	1.08
1929	1.61	1.39	1.31	1.38	1.36	1.43	1.48	1.54	1.55	1.60	1.68	1.74	1.39
1930	1.45	1.06	1.03	.98	.97	.99	1.04	1.06	1.05	1.17	1.22	1.31	1.02
1931	1.08	.77	.71	.59	.61	.65	.66	.66	.71	.79	.85	.92	.66
1932	.86	.65	.57	.57	.57	.62	.65	.66	.70	.79	.85	.89	.66
1933	.87	.75	.73	.70	.73	.80	.89	.97	1.04	1.09	1.14	1.22	.78
1934	1.00	.82	.82	.84	.89	.94	.99	1.04	1.05	1.10	1.14	1.17	.89
1935	.96	.78	.69	.64	.69	.77	.81	.84	.87	1.00	1.14	1.22	.78
1936	.94	.96	.89	.97	1.06	1.13	1.19	1.30	1.33	1.43	1.57	1.56	1.05
1937	1.12	.82	.72	.62	.62	.67	.67	.67	.67	.73	.73	.73	.67
1938	.90	.75	.77	.79	.84	.90	.95	.96	.98	1.00	1.02	1.02	.83
1939	.80	.66	.59	.57	.62	.68	.73	.81	.85	.90	1.05	1.11	.64
1940	1.08	.79	.76	.72	.75	.86	.90	.93	.97	1.06	1.01	1.14	.80
1941	.95	.85	.85	.87	.98								1.00

All Oranges: ⁵ Per Box

Year beginning November—	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Season average ¹
1931	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1931	1.34	1.14	1.04	1.30	1.31	1.33	1.33	1.17	1.04	.89	1.14	1.19	1.21
1932	1.18	.97	.85	.69	.62	.53	.81	.93	1.10	1.03	1.36	1.16	1.38
1933	.86	.96	.92	.98	1.04	1.22	1.77	2.09	1.55	1.85	1.81	2.19	1.89
1934	1.07	.87	.96	1.03	1.22	1.32	1.63	1.77	1.35	1.35	1.26	1.31	1.15
1935	1.37	1.32	1.14	1.37	1.19	1.33	1.63	1.77	1.35	1.39	2.25	1.31	1.52
1936	1.18	.90	1.56	1.71	1.91	2.07	1.91	1.95	2.35	2.38	2.70	1.93	1.52
1937	1.14	.86	.71	.83	.79	.77	.80	.96	1.33	1.33	1.62	1.74	.83
1938	.71	.64	.59	.58	.69	.79	.83	.98	.77	.93	1.16	1.18	.77
1939	.80	.67	.63	1.00	.80	1.13	1.10	1.52	.89	1.10	.98	1.31	.96
1940	1.20	.89	.88	1.01	1.11	1.13	1.24	1.02	1.44	2.10	1.63	1.96	1.24
1941	1.50												1.60

All Lemons: ⁶ Per Box

Year beginning September—	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Season average ¹
1931	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1931	1.11	1.28	1.12	.91	.85	.81	1.86	1.59	2.93	3.27	3.34	2.30	1.82
1932	2.31	2.90	1.61	1.22	1.39	1.44	2.95	2.85	1.90	1.55	2.55	1.75	2.15
1933	1.74	2.45	2.15	1.87	1.90	1.90	3.16	3.20	2.99	2.00	1.62	1.84	2.45
1934	1.61	1.40	.93	.56	.52	.61	.62	1.17	3.12	2.68	2.21	2.98	1.44
1935	3.20	3.45	2.39	2.50	2.45	2.53	3.63	3.65	3.48	3.01	2.36	2.15	3.17
1936	1.60	1.80	3.23	2.07	2.22	2.77	3.43	3.82	3.34	3.81	3.43	3.04	3.06
1937	4.19	2.81	1.97	1.59	2.26	1.54	1.93	1.54	1.88	1.80	1.41	1.03	1.84
1938	1.17	1.30	1.27	1.35	1.39	1.06	1.30	1.74	1.80	1.58	1.77	1.43	1.48
1939	2.75	2.03	1.74	1.84	1.19	1.36	1.33	1.87	1.27	1.85	1.16	1.41	1.59
1940	1.24	1.03	1.44	1.11	.95	.96	1.12	1.64	1.66	2.04	1.13	1.36	1.33
1941	1.32												1.65

All Grapefruit: ⁵ Per Box

Year beginning September—	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Season average ¹
1931	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1931	1.27	1.00	.68	.62	.54	.54	.78	1.16	1.45	1.22	1.11	1.21	.80
1932	1.56	1.44	1.09	.70	.53	.46	.39	.33	.29	.36	.62	1.01	.58
1933	1.01	.89	.76	.68	.64	.69	.79	.97	1.02	1.35	1.44	1.59	.83
1934	.81	.65	.52	.46	.43	.52	.47	.60	.51	.69	.80	1.01	.55
1935	.90	1.03	.87	.80	.82	.76	.76	.92	1.20	1.25	1.44	1.36	.88
1936	.71	.58	.41	.40	.36	.43	.59	.96	1.05	1.57	1.55	1.40	.58
1937	1.36	1.02	.83	.72	.49	.44	.45	.52	.48	.39	.70	.79	.57
1938	.72	.51	.37	.33	.27	.34	.24	.35	.30	.27	.47	.73	.32
1939	.78	.83	.48	.42	.35	.36	.36	.51	.56	.50	.53	.89	.44
1940	.79	.92	.40	.31	.31	.36	.40	.46	.48	.66	.76	1.47	.43
1941	1.96	1.26	.79										.66

¹ Crop year average prices, by States, weighted by production to obtain weighted averages for the United States.

² Includes unredeemed loans at estimated average loan value.

³ Preliminary. ⁴ 36 commercial States.

⁵ 4 States, equivalent per unit packing-house-door returns for all methods of sale. Monthly returns by States weighted by estimates of sales to obtain monthly averages for the 4 States. Season average returns by States weighted by estimated sales to obtain the 4-State season average.

⁶ California, equivalent per unit packing-house-door returns for all methods of sale. Season averages are equivalent to monthly returns weighted by estimates of monthly sales during the crop-marketing season.

⁷ Revised.

Horses: Per Head

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Weighted average ¹
1929	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
1929	68.8	70.8	74.5	76.0	75.9	75.6	73.7	73.0	71.1	70.0	68.8	72.2	70.9
1930	68.6	68.7	69.4	70.2	69.7	68.8	64.3	62.1	61.0	60.0	58.9	57.3	65.2
1931	57.6	59.6	60.6	61.0	61.1	59.0	56.2	54.0	52.0	50.2	49.3	49.3	55.9
1932	49.7	51.2	55.4	56.1	55.1	54.8	54.6	54.0	52.6	51.1	50.7	50.4	52.5
1933	53.0	55.4	57.5	60.7	64.1	64.1	64.8	63.9	62.2	61.4	62.5	63.7	59.8
1934	66.5	73.0	74.6	75.5	74.9	73.8	71.2	68.8	70.9	70.6	72.2	72.9	72.0
1935	77.6	84.0	88.3	90.9	89.7	89.4	89.0	87.9	87.7	88.6	88.9	90.6	87.4
1936	92.7	94.8	98.2	101.0	100.2	98.8	95.9	90.8	90.3	90.7	90.5	93.2	95.3
1937	96.3	99.4	101.5	100.2	98.1	96.5	95.2	93.6	93.1	90.0	87.8	86.0	95.4
1938	87.4	89.0	88.6	88.0	87.5	86.3	85.7	82.6	81.7	79.9	79.4	79.8	85.1
1939	82.0	83.1	83.0	81.5	82.5	81.3	80.2	78.0	79.9	78.6	77.6	77.1	81.0
1940	78.3	78.2	78.2	76.6	76.1	75.0	74.5	72.5	72.6	71.0	69.6	69.1	75.5
1941	70.2	70.4	69.6	69.8	70.3	69.9	69.8	69.0	68.5	67.0	67.1	67.0	169.3
1942	71.8												

Mules: Per Head

1929	86.8	89.5	92.4	94.2	94.1	92.8	92.2	89.3	89.0	88.2	86.8	85.5	89.7
1930	85.4	85.8	87.4	87.0	86.0	84.9	79.8	73.5	72.1	72.8	71.0	68.4	80.1
1931	68.9	70.8	72.4	72.9	72.2	70.1	66.3	64.1	62.0	60.8	60.0	60.0	66.8
1932	59.3	59.9	63.8	64.7	63.3	62.5	62.0	62.5	61.7	60.6	59.5	58.2	61.9
1933	60.2	63.8	65.7	68.2	72.2	72.2	72.6	71.6	70.4	70.9	73.6	76.1	69.2
1934	79.7	86.6	88.2	88.2	87.5	85.7	82.6	79.6	83.9	95.2	87.1	89.4	85.7
1935	93.9	102.4	105.3	105.9	106.1	104.3	102.2	102.6	103.4	104.7	104.6	105.9	104.0
1936	108.1	110.6	114.7	115.2	115.1	112.4	109.9	106.2	106.5	107.5	108.6	111.6	111.0
1937	114.0	117.7	120.3	120.9	120.0	117.1	115.3	112.3	112.6	109.3	107.1	103.3	114.2
1938	106.3	109.3	108.5	107.1	106.3	104.8	102.1	99.7	99.9	98.8	97.6	97.7	110.1
1939	100.3	101.5	101.6	101.0	101.6	100.4	99.2	97.0	98.8	97.7	96.6	97.2	100.0
1940	98.1	97.3	97.9	96.1	94.3	93.2	93.2	90.5	90.1	88.6	87.6	87.3	93.6
1941	88.6	88.6	89.4	89.5	88.7	88.6	87.6	87.0	87.4	85.7	85.4	86.9	188.3
1942	91.8												

Average Prices Received by Farmers, United States, 1929-42—Continued
Hogs: Per 100 Pounds¹

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Weighted average ²
1929	8.18	8.99	10.31	10.45	10.12	9.92	10.52	10.41	9.56	9.08	8.48	8.50	9.42
1930	8.84	9.55	9.71	9.26	9.06	9.17	8.38	8.58	9.55	8.82	8.17	7.40	8.84
1931	7.21	6.74	6.91	6.88	6.26	5.58	6.16	6.20	5.35	4.58	4.21	3.58	6.74
1932	3.61	3.40	3.27	3.51	2.83	2.71	4.27	4.05	3.73	3.14	2.95	2.60	3.34
1933	2.59	2.92	3.21	3.20	3.06	3.99	4.00	3.77	3.70	3.19	3.66	2.79	3.53
1934	2.95	3.86	3.85	3.42	3.34	3.94	3.98	4.68	6.10	5.13	4.98	3.10	4.14
1935	7.05	7.36	7.46	8.17	8.23	8.66	8.72	10.64	10.58	9.71	8.57	8.80	8.65
1936	9.09	9.62	9.44	9.68	8.71	9.10	9.28	10.14	9.84	9.24	8.78	9.09	9.37
1937	9.58	9.38	9.38	9.21	9.63	10.24	10.99	11.77	10.83	9.92	9.26	7.55	9.50
1938	7.66	7.30	7.53	7.85	7.43	8.14	8.71	7.85	8.19	7.25	7.27	6.91	7.74
1939	6.97	7.30	7.14	6.59	6.34	5.91	5.96	5.30	6.88	6.50	5.82	4.97	6.23
1940	5.17	4.96	4.87	4.91	5.37	4.78	5.84	5.90	6.20	5.85	5.61	5.61	5.39
1941	7.47	7.29	7.16	8.16	8.31	9.12	10.32	10.48	11.24	10.13	9.70	10.32	9.09
1942	10.69	11.85	12.52	13.48									

Sheep: Per 100 Pounds¹

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Weighted average ²
1929	7.82	7.90	8.30	8.31	7.93	7.74	7.16	7.18	6.85	6.66	6.67	6.54	7.17
1930	6.75	6.68	6.44	6.28	5.76	5.45	4.57	3.99	4.09	3.81	3.86	3.84	4.74
1931	3.99	4.09	4.13	4.13	3.80	3.23	2.88	2.92	2.77	2.61	2.64	2.52	3.10
1932	2.45	2.59	2.81	2.78	2.39	2.26	2.26	2.12	2.14	2.00	2.00	1.97	2.19
1933	2.11	2.17	2.20	2.32	2.49	2.49	2.61	2.60	2.56	2.49	2.38	2.49	2.38
1934	2.72	3.35	3.63	3.61	3.52	3.01	2.79	2.64	2.49	2.56	2.00	2.69	2.85
1935	3.35	3.80	3.84	3.81	3.66	3.60	3.45	3.52	3.74	3.79	3.88	4.18	3.75
1936	4.33	4.28	4.36	4.47	4.31	4.01	3.93	3.70	3.62	3.52	3.59	3.85	3.77
1937	4.25	4.44	4.79	4.95	4.87	4.49	4.50	4.51	4.35	4.27	3.90	3.83	4.52
1938	3.70	3.65	4.03	3.94	3.64	3.43	3.48	3.42	3.38	3.38	3.57	3.70	3.58
1939	3.90	4.09	4.03	4.25	3.98	3.72	3.72	3.61	3.84	3.95	3.85	3.80	3.90
1940	3.95	4.02	4.37	4.27	4.13	3.91	3.69	3.66	3.76	4.02	4.01	4.10	3.95
1941	4.44	4.65	4.86	5.20	4.97	4.69	4.69	5.03	5.36	5.15	5.13	5.24	5.10
1942	5.52	5.73	5.90	6.12									

Lambs: Per 100 Pounds¹

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Weighted average ²
1929	12.25	12.64	13.21	13.28	12.69	12.47	11.96	11.42	11.14	10.88	10.72	10.81	11.88
1930	11.10	10.51	9.76	9.20	9.07	9.10	8.21	6.86	6.75	6.24	6.26	6.25	7.74
1931	6.01	6.81	6.93	7.17	7.17	6.60	5.79	5.42	5.18	4.70	4.58	4.28	5.64
1932	4.51	4.72	5.18	5.27	4.87	4.65	4.57	4.34	4.29	4.12	4.10	4.15	4.46
1933	4.30	4.37	4.42	4.51	4.97	5.43	5.47	5.57	5.34	5.21	5.18	5.13	5.05
1934	5.78	6.93	7.16	7.16	7.34	6.77	6.04	5.35	5.12	5.04	5.11	5.30	5.90
1935	6.77	6.98	6.99	6.92	6.95	6.88	6.54	6.71	7.45	7.58	7.87	8.36	7.28
1936	8.53	8.55	8.36	8.69	8.55	8.70	8.21	7.87	7.67	7.50	7.44	7.26	8.05
1937	8.14	8.37	9.21	9.61	9.61	9.32	8.80	8.89	8.83	8.64	8.09	7.69	8.87
1938	7.39	6.77	7.55	7.40	7.10	7.16	7.17	6.87	6.76	6.65	7.06	7.31	7.05
1939	7.58	7.63	7.70	8.18	8.37	7.91	7.64	7.21	7.84	7.86	7.74	7.62	7.78
1940	7.79	7.84	8.31	8.46	8.59	8.47	8.17	7.81	7.82	7.86	8.02	8.09	8.10
1941	8.56	8.80	9.12	9.37	9.34	9.49	9.47	9.56	10.09	9.83	9.70	10.13	9.58
1942	10.56	10.69	10.63	10.83									

Wool: Per Pound

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Weighted average ²
1929	35.9	35.9	35.5	33.8	31.3	30.2	29.4	29.2	29.0	28.6	28.5	27.8	30.2
1930	27.4	25.9	23.7	21.4	19.6	19.2	19.2	19.8	20.2	19.6	19.0	18.4	19.6
1931	17.4	16.4	15.9	15.6	14.4	13.0	12.7	13.1	13.2	12.5	13.1	12.9	13.5
1932	12.5	13.0	12.5	11.0	8.8	7.2	7.0	7.4	9.1	9.5	9.4	9.2	8.6
1933	8.9	8.8	8.8	8.1	17.7	21.3	22.4	22.5	23.0	23.6	23.8	24.2	20.6
1934	24.6	25.4	26.9	26.2	23.4	21.9	21.4	20.4	19.5	19.3	19.2	18.5	21.9
1935	18.8	18.2	17.4	16.2	16.1	19.8	20.5	20.0	20.9	21.3	22.6	23.3	19.2
1936	24.1	25.6	26.5	26.2	25.8	27.8	27.5	27.2	26.5	26.4	27.2	30.1	26.9
1937	31.3	31.6	31.7	33.2	32.7	31.4	31.3	31.4	30.8	29.2	29.0	23.6	32.0
1938	21.6	20.3	19.2	18.5	18.8	18.0	19.0	19.8	19.1	20.1	20.7	20.3	19.1
1939	20.0	20.2	20.0	19.7	21.0	21.9	21.8	22.0	24.3	28.7	27.6	27.5	22.3
1940	28.1	27.8	27.3	26.1	27.6	28.6	27.9	27.3	28.0	29.9	31.5	31.2	28.4
1941	31.3	32.1	33.4	34.7	36.1	36.5	36.3	35.7	36.3	36.3	36.7	37.1	35.6
1942	37.2												

Chickens: Per Pound

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Weighted average ²
1929	21.6	22.1	22.7	23.8	24.4	24.0	23.7	22.7	22.4	21.5	20.3	19.1	22.8
1930	19.8	20.4	20.6	21.1	20.0	19.0	17.4	17.3	17.8	17.4	16.1	15.3	18.4
1931	15.7	15.1	16.1	16.7	15.9	16.1	15.8	16.2	15.7	14.4	14.4	13.9	15.8
1932	13.3	12.6	12.6	12.6	12.2	11.4	11.7	11.7	11.6	10.7	10.1	9.2	11.8
1933	9.3	9.4	9.1	9.8	10.4	10.0	10.4	9.8	9.5	9.3	8.8	8.6	9.5
1934	9.4	10.2	10.7	11.1	11.2	11.2	11.7	11.4	12.7	11.8	11.7	11.7	11.3
1935	12.4	13.4	14.2	15.5	15.7	15.6	14.0	14.1	15.4	15.7	15.9	16.0	14.9
1936	16.5	16.9	16.6	16.9	16.6	16.4	16.1	15.1	14.9	14.0	13.2	12.6	15.8
1937	13.4	13.6	14.4	15.2	14.8	14.8	15.3	16.8	17.4	17.6	16.9	16.4	15.9
1938	16.7	16.0	15.9	16.2	16.1	15.7	15.0	14.2	14.3	13.6	13.6	13.6	15.4
1939	14.0	14.2	14.3	14.4	13.9	13.4	13.7	13.0	13.6	12.7	12.4	11.7	13.5
1940	12.0	12.2	12.8	12.9	13.6	13.3	13.6	13.4	13.7	13.3	13.1	13.0	13.3
1941	13.7	14.0	14.4	15.7	16.3	16.3	16.8	16.3	16.3	16.0	15.5	15.8	15.8
1942	17.0												

Eggs: Per Dozen

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15	Weighted average ²
1929	33.0	31.9	28.0	23.6	24.4	26.1	27.2	29.8	33.9	38.4	44.2	45.8	29.8
1930	38.4	31.8	21.3	21.5	20.0	18.6	18.8	20.6	25.3	26.5	31.7	26.8	23.7
1931	22.1	14.1	17.0	16.2	13.0	14.1	14.8	17.3	19.1	22.7	26.4	25.6	17.6
1932	17.2	12.8	10.4	10.2	10.3	10.6	12.0	14.7	17.2	22.5	26.1	28.1	14.2
1933	21.4	11.0	10.1	10.3	11.8	10.1	13.1	13.3	16.3	20.8	24.0	21.6	13.8
1934	17.6	15.8	14.4	13.5	13.3	13.2	14.1	17.2	21.9	23.7	28.6	27.0	17.1
1935	25.0	25.6	16.6	20.0	21.4	20.0	20.4	22.9	27.9	30.1	28.7	23.4	
1936	22.8	23.8	17.5	16.8	18.1	18.9	20.0	22.4	24.5	27.6	32.5	30.5	21.8
1937	23.1	20.1	19.9	20.1	17.9	17.6	19.4	20.4	22.9	25.2	28.0	26.0	21.3
1938	21.6	16.4	16.2	15.9	17.6	18.2	19.9	21.0	24.9	27.1	29.0	27.9	20.3
1939	18.8	16.7	16.0	15.5	15.2	14.9	16.5	17.5	20.6	22.9	25.8	20.5	17.4
1940	18.3	20.2	15.4	15.0	15.1	14.4	16.4	17.2	21.0	23.7	26.2	26.8	18.0
1941	19.7	16.8	16.4	19.7	20.1	23.2	25.6	26.8	30.3	31.8	35.5	34.1	23.7
1942	31.3												

Turkeys: Per Pound

Year	Jan. 15	Feb. 15	Mar. 15	Apr. 15	May 15	June 15	July 15	Aug. 15	Sept. 15	Oct. 15	Nov. 15	Dec. 15
	<i>Ct.</i>	<i>Ct.</i>	<i>Ct.</i>	<i>Ct.</i>	<i>Ct.</i>	<i>Ct.</i>	<i>Ct.</i>	<i>Ct.</i>	<i>Ct.</i>	<i>Ct.</i>	<i>Ct.</i>	<i>Ct.</i>
1929	28.2									27.2		23.5
1930	23.7									21.0		19.9
1931	16.6									17.9		18.3
1932	18.0									13.3		12.9
1933	10.2	10.0	10.0	10.3	10.8	10.3			10.7	11.3	11.8	11.1
1934	11.6	12.1	12.2	12.2	11.5	11.1	10.9	11.0	11.8	12.7	14.6	16.0
1935	16.0	16.1	15.7	15.8	15.1	14.2	13.5	13.1	14.4	15.9	19.9	21.3
1936	19.9	18.8	17.8	17.1	16.2	15.4	15.3	15.5	15.9	15.9	15.0	14.3
1937	14.1	14.0	14.2	14.3	14.0	13.7	13.9	14.2	15.0	16.7	17.9	18.0
1938	17.5	17.7	17.2	17.0	16.4	15.6	15.7	15.0	16.0	16.5	17.1	18.4
1939	18.3	17.5	17.6	16.9	15.6	14.7	14.4	14.3	15.4	15.3	16.0	15.6
1940	14.2	14.0	13.7	13.5	13.2	12.9	12.9	13.4	14.3	14.7	15.5	15.9
1941	15.5	15.1	15.2	15.5	15.4	15.4	15.8	16.1	17.5	18.8	20.2	20.9
1942	20.5											

